

**AMENDMENTS TO THE CLAIMS:**

This listing of claims will replace all prior versions, and listings, of claims in the application:

**LISTING OF CLAIMS:**

Claims 1-12 (canceled).

Claim 13 (currently amended): An antenna comprising:

a substrate including a ground electrode;

a feeding radiation element including a feeding element and a radiation electrode disposed inside or outside a dielectric substance;

a first non-feeding radiation element electrically connected to the ground electrode and including a radiation electrode disposed inside or outside the dielectric substance; and

a second non-feeding radiation element electrically connected to the ground electrode and including a radiation electrode disposed inside or outside the dielectric substance; wherein

the feeding radiation element is disposed on the ground electrode such that a surface of the radiation electrode of the feeding radiation element is substantially parallel to a surface of the ground electrode along substantially the entire surface of the radiation electrode and such that the feeding radiation element is disposed in the vicinity of a desired side of four peripheral sides of the ground electrode;

the first non-feeding radiation element is disposed on the ground electrode such that a surface of the radiation electrode is substantially parallel to the surface of the ground electrode along substantially the entire surface of the radiation electrode and such that the first non-feeding radiation element is disposed next to the feeding radiation element so as to be in the vicinity of the desired side of the ground electrode; and

the second non-feeding radiation element is disposed such that the second non-feeding radiation element is adjacent to both the feeding radiation element and the first non-feeding radiation element and such that at least a portion of the second non-feeding radiation element projects outside the ground electrode from the desired side of the ground electrode.

Claim 14 (original): The antenna according to Claim 13, wherein the dielectric substance is defined by a single base member.

Claim 15 (original): The antenna according to Claim 13, wherein the dielectric substance is defined by at least two separate dielectric base members.

Claim 16 (original): The antenna according to Claim 13, wherein the second non-feeding radiation element is electrically connected at a substantially central location of the desired side of the ground electrode.

Claim 17 (original): The antenna according to Claim 13, wherein a resonance produced by the second non-feeding radiation element is set to one of a higher frequency side and a lower frequency side of a multiple resonance produced by the feeding radiation element and the first non-feeding radiation element so as to produce a triple resonance.

Claim 18 (original): The antenna according to Claim 13, wherein a resonance produced by the second non-feeding radiation element is set to one of a higher frequency side and a lower frequency side of a multiple resonance produced by a harmonic wave of the feeding radiation element and a harmonic wave of the first non-feeding radiation element to produce a triple resonance.

Claim 19 (original): The antenna according to Claim 13, wherein:  
the ground electrode is defined by a conductor pattern that is provided on the substrate and that has a substantially rectangular shape when viewed in plan;  
the feeding radiation element and the first non-feeding radiation element are disposed in close proximity to one of two shorter sides at ends in a longitudinal direction of the ground electrode; and  
the second non-feeding radiation element is arranged such that substantially the entire second non-feeding radiation element projects outside the ground electrode from the one of the two shorter sides.

Claim 20 (original): The antenna according to Claim 13, wherein the dielectric substance is defined by a dielectric base member, and the radiation electrode of each of the feeding radiation element, the first non-feeding radiation element, and the second non-feeding radiation element is provided on the dielectric base member or within the dielectric base member.

Claim 21 (original): The antenna according to Claim 20, wherein the feeding radiation element, the first non-feeding radiation element, and the second non-feeding radiation element are insert molded or outsert molded in the dielectric base member made of a dielectric material including thermoplastic resin.

Claim 22 (currently amended): The antenna according to Claim 13, wherein the dielectric substance is defined by at least a first dielectric base member and a second dielectric base member, and the radiation electrode of each of the feeding radiation element and the first non-feeding radiation element is provided on a the first dielectric base member, and the radiation electrode of the second non-feeding radiation element is provided on a the second dielectric base member that is different from the first dielectric base member on which the radiation electrode of each of the feeding radiation

element and the first non-feeding radiation element is provided.

Claim 23 (original): The antenna according to Claim 22, wherein:

the feeding radiation element and the first non-feeding radiation element are insert molded or outsert molded in the first dielectric base member made of a dielectric material and a thermoplastic resin; and

the second non-feeding radiation element is insert molded or outsert molded in the second dielectric base member made of a dielectric material and a thermoplastic resin.

Claim 24 (original): The antenna according to Claim 22, wherein the first dielectric base member and the second dielectric base member include a fitting structure in which a fitting state is uniquely defined by fitting the first dielectric base member to the second dielectric base member.

Claim 25 (original): The antenna according to Claim 23, wherein the first dielectric base member and the second dielectric base member include a fitting structure in which a fitting state is uniquely defined by fitting the first dielectric base member to the second dielectric base member.

Claim 26 (original): The antenna according to Claim 13, wherein at least one of a chip capacitor and a chip inductor is provided in a middle portion of at least one of an electrical connection path between the radiation electrode of the feeding radiation element and the ground electrode, an electrical connection path between the radiation electrode of the first non-feeding radiation element and the ground electrode, and an electrical connection path between the radiation electrode of the second non-feeding radiation element and the ground electrode.

Application No. 10/598,893

June 16, 2008

Reply to the Office Action dated February 27, 2008

Page 6 of 10

Claim 27 (original): A portable radio communication apparatus comprising the antenna as set forth in Claim 13.